

**MAXIMUM RESIDUE LIMITS FOR PERMISSIBLE CHEMICALS**
**PEACHES & NECTARINES**

Chemical	Trade Names	Local SA Reg. MRL (PPM)	Local Withholding period (Days)	Export Default MRL (PPM)	Export Default Withholding period (Days)	EU MRL Status 2017 (PPM)	USA MRL (PPM)	Russian Default MRL (PPM)	Russian MRL Export Default Withholding Period (MOU terms) (Days)	Codex MRL (PPM)	MRL Notes (PPM)
(E)-8-Dodecen-1-yl acetate + (Z)-8-Dodecen-1-yl acetate	Checkmate FCM-F Isomate FCM RB Splat FCM	-	-	0.01	-	0.01	-	-		-	
Abamectin	Agrimec Gold Zoro 36 EC	0.01	21	0.01	21	0.02	0.09 (Stone)	-		0.03 (Peaches - Including Nectarines and Apricots)	
	Epicure		5		5						
Acetamiprid	Doublestar 25 SL	0.2	28	0.2	28	0.8	1.2 (Stone)	-		0.7	Canada 1.2
Acetamiprid + Novaluron	Cormoran 180 EC	0.2	28	0.2	28	0.8	1.2	-		0.7	
		0.5				2.0	-			7.0	
Alpha-cypermethrin	Concord Avalanche Sentry EC (Peaches only) Alpha-thrin 100 SC Polytrin Super Fastac SC	0.2	14	0.2  0.2 (As per cypermethrin)	3 (Canned peaches only as confirmed by BASF for Fastac only)	2.0 (cypermethrin/ isomers)	- 1.0 (stone, Cypermethrin)	0.1 Stone type fruits	Contact relevant Ag Chem Company to confirm	2.0 (stone, as cypermethrin)	Iran - Taiwan - Indonesia -
Aviglycine HCL (Aminoethoxyvinylglycine Hydrochloride)	ReTain	0.2	7	≤ 0.01	14	-	0.17 (stone)	-		-	
Azinphos-methyl		2.0	28	0.05	56 Max. 4 applications	0.05	Peach 2.0 Nectarine -	-		2.0	
Azoxystrobin	Ortiva	2.0	1	2.0	1	2.0	2.0 (Stone)	-		2.0 (Stone)	Canada 0.8 Taiwan 1.0 peach
Bacillus Thuringiensis	Betapro DiPel DF	-	-	-	-	-	Exp.	-		-	
Beauveria bassiana	Broadband Eco-Bb	-	-	-	-	-	Exp.	-		-	

**MAXIMUM RESIDUE LIMITS FOR PERMISSIBLE CHEMICALS**

**PEACHES & NECTARINES**

Chemical	Trade Names	Local SA Reg. MRL (PPM)	Local Withholding period (Days)	Export Default MRL (PPM)	Export Default Withholding period (Days)	EU MRL Status 2017 (PPM)	USA MRL (PPM)	Russian Default MRL (PPM)	Russian MRL Export Default Withholding Period (MOU terms) (Days)	Codex MRL (PPM)	MRL Notes (PPM)
<b>Benomyl</b>	Benomyl 500 WP Benomyl Demeter (peaches only) Farmag Benomyl 500 WP (Peaches only)	3.0	7	0.2	Do not use after flowering	0.2	-	0.075 Stonefruit	Not after flowering	2.0 (as carbendazim)	Taiwan 0.01
<b>Beta-cypermethrin</b>	Akito (Peaches only)	0.2	14	0.2	14	2.0 (cypermethrin/ isomers)	- 1.0 (stone, Cypermethrin)	0.1* Stonefruit	28	2.0 (stone, as cypermethrin)	Indonesia -
<b>Bollworm Nucleopolyhedrovirus</b>	Bolldex Graboll Helicovir	-	0	-	0	Exp.	Exp.	-		-	
<b>Botanical extracts (Natural pyrethrin; Garlic extract; Canola oil)</b>	Kannar KangroShield 100	0.05	2	0.01	2	Pyrethrin 1.0 Garlic extract - [No MRL required (Annex IV)] Canola oil 0.01	Pyrethrin 1.0 Garlic extract - Canola oil -	-		-	
	Kannar Pygar 932		1		1						
<b>Botanical extracts/ plant acids (Citric acids; Lactic acids; Ascorbic acid)</b>	Kannar KanShield 941	Exp.	0	0.01	0	Plant acids - 0.01 Citric acids - 0.01 Lactic acids - 0.01 Asorbic acid - 0.01	Plant acids - Citric acids - Lactic acids Exp. Asorbic acid -	-		-	
<b>Botanical extracts (Natural pyrethrin)</b>	Xterminator	1.0	0	1.0	0	1.0	1.0	-		-	Hong Kong Nectarine - Indonesia - Iran - Malaysia 0.01 Taiwan 0.3 Thailand -
<b>Bupirimate</b>	Nimrod 250 EC Veto EW	0.5	14	0.3	28	0.3	-	0.1 Stone type fruits	Contact relevant Ag Chem Company to confirm	-	Canada (0.1) Hong Kong - India - Indonesia - Iran - Malaysia (0.01) Singapore - Thailand -
<b>Cadusafos</b>	Rugby 10 ME Rugby 10 G Rugby Soccer 100 EW Hockey 100 EW	≤ 0.01	0	≤ 0.01	0	0.01	-	-		-	



### MAXIMUM RESIDUE LIMITS FOR PERMISSIBLE CHEMICALS

#### PEACHES & NECTARINES

Chemical	Trade Names	Local SA Reg. MRL (PPM)	Local Withholding period (Days)	Export Default MRL (PPM)	Export Default Withholding period (Days)	EU MRL Status 2017 (PPM)	USA MRL (PPM)	Russian Default MRL (PPM)	Russian MRL Export Default Withholding Period (MOU terms) (Days)	Codex MRL (PPM)	MRL Notes (PPM)
<b>Captab/ Captan</b>	Captab WP (Peaches only) Thor 500 WP (peaches only) Captan 800 WG Sharada Captan 800 WG (peaches only)	15.0	14	6.0	Not after flowering	6.0	15.0 (Peach) 25.0 (Nectarine)	-		20.0 (Peach) 3.0 (Nectarine)	Hong Kong Nect. 3.0 Indonesia Nect. 3.0
<b>Chlorantraniliprole</b>	Altacor	1.0	14	1.0	14	1.0	4.0 (stone)	1.0 Stonefruit		1.0 (Stone)	
<b>Chlorantraniliprole + Lambda-cyhalothrin</b>	Ampigo	1.0	14	1.0	28	1.0	4.0 (stone)	1.0 Stonefruit	Contact relevant Ag Chem Company to confirm	1.0 (Stone)	
		0.5		0.2		0.2	0.5 (stone)	0.03* Stonefruit		0.5 (as Cyhalothrin, including Lambda-cyhalothrin)	
<b>Chlorfenapyr (Nectarines only)</b>	Hunter 24 SC Savage SC Saber 360 SC Savage 360 SC Plumett	0.5	30	0.01	Before flowering only	0.01	-	-		-	
<b>Chlorpyrifos</b>	Lirifos 480 EC Dursban 480 EC Dursban 750 WG Chlorpyrifos 480 EC Chlorban EC Agropyrifos 480 EC Pyrinex 480 EC Klub M5 Chlorpyrifos Chlorifos Pyrinex 250 CS	0.05	Dormant application only	0.01	Dormant application only	0.01	0.05	0.2 Stonefruit		0.5 (Peach) - (Nectarine)	
<b>Codling moth and Oriental fruit moth granulosus virus</b>	Madex Twin Madex Dual	-	-	-	-	-	-	-		-	

**MAXIMUM RESIDUE LIMITS FOR PERMISSIBLE CHEMICALS**
**PEACHES & NECTARINES**

Chemical	Trade Names	Local SA Reg. MRL (PPM)	Local Withholding period (Days)	Export Default MRL (PPM)	Export Default Withholding period (Days)	EU MRL Status 2017 (PPM)	USA MRL (PPM)	Russian Default MRL (PPM)	Russian MRL Export Default Withholding Period (MOU terms) (Days)	Codex MRL (PPM)	MRL Notes (PPM)
<b>Copper (Cu) Oxychloride and other Cu salts including Cupric hydroxide</b>	CungFu Kocide 2000 Fungi Flow Copper Oxychloride WP Cuprofix Dispers Nordox 86 WG Coprox WP (peaches only) Coprox Super (peaches only) Copper-Flow-Plus (peaches only) Demildex Copro Flow S (peaches only) Copper Count-N Liquicop Farmag Cu Super Farmag Copper Oxychloride ( Peaches only) Copflo Super (peaches only) Copstar 120 SC	20.0	14	5.0	Not later than bud swell	5.0	Exp.	5.0 Stonefruit		-	Hong Kong - Indonesia - Malaysia Exp. Thailand - Taiwan Exp.
<b>Cyhexatin</b>	Acarstin Flo	2.0	7	0.01	Before flowering only	0.01	-	-		-	Iran Banned Taiwan Prohibited use
<b>Cypermethrin</b>	Cyperin Avi-Sipermetrin EC Kemprin 200 EC (peaches only) Knox-Worm (peaches only) Cypermethrin 200 EC Polythrin 200 EC Farmag Cypermethrin (Peaches only)	0.2	14	0.2	14	2.0	- 1.0 (stone)	0.1* Stonefruit	28	2.0 (Stone fruit)	
<b>Cyprodinil</b>	Chorus	2.0	2	2.0	2	2.0	2.0 Stone fruit	2.0 Stone fruit		2.0 (Stone fruit)	Taiwan Peach -
<b>Deltamethrin</b>	Decis Forte Delta-Thrin 25 EC Ag-Deltamethrin 25 EC Servus 25 EC	0.1	21	0.1	21	0.15	-	0.05* Stonefruit	Not after flowering	0.05	Hong Kong 0.05 [India 0.05] Indonesia 0.05 [Malaysia 0.05] Singapore 0.05 [Thailand 0.05]

**MAXIMUM RESIDUE LIMITS FOR PERMISSIBLE CHEMICALS**
**PEACHES & NECTARINES**

Chemical	Trade Names	Local SA Reg. MRL (PPM)	Local Withholding period (Days)	Export Default MRL (PPM)	Export Default Withholding period (Days)	EU MRL Status 2017 (PPM)	USA MRL (PPM)	Russian Default MRL (PPM)	Russian MRL Export Default Withholding Period (MOU terms) (Days)	Codex MRL (PPM)	MRL Notes (PPM)
<b>Didecyldimethylammonium chloride</b>	Sporekill	0.1	82 Do not apply after first fruit set	0.1	82 Do not apply after first fruit set	0.1	-	-		-	Hong Kong - India - Indonesia - Iran - Malaysia (0.01) Singapore - Thailand - Taiwan - Switzerland 0.02
<b>Emamectin benzoate</b>	Warlock 19.2 EC	0.03	14	0.03	21	0.03	-	-		0.03	
<b>False codling moth granulovirus</b>	Cryptogran Cryptex	-	-	-	-	-	-	-		-	
<b>Fenamiphos</b>	Nemacur 400 EC Fenamiphos 400 EC Bonfire 400 EC Atador	0.05	100	0.02	100	0.02	-	-		-	Hong Kong - India - Indonesia - Iran - Malaysia (0.01) Singapore - Switzerland - Thailand - Taiwan 0.01
<b>Fenbuconazole</b>	Indar 50 EW	1.0	1	0.5	5 Max. 4 applications	0.5	1.0 (stone)	-		0.5 (Peach) - (Nectarine)	Hong Kong Nect. - India Nect - Iran Nect. - Malaysia Nect. (0.01) Singapore Nect. - Thailand Nect. -
<b>Fenbutatin Oxide</b>	Fenbutatin Oxide 550 Mitrus (peaches only) Crystal 550 SC (Peaches only) Roper 550 SC (Peaches only) Mitador	2.00	21	0.05	Not to be used after blossom	0.05	10.0 (peach) Nectarine -	-		7.0 (Peach) - (Nectarine)	Hong Kong Nect. - India Nect - Iran Nect - Malaysia Nect. (0.01) Singapore Nect. - Thailand Nect. -
<b>Fludioxonil</b>	Scholar Teacher 230 SC	7.0	1	7.0	1	10.0	5.0 (stone)	-	Contact relevant Ag chem company to confirm	5.0 (stone)	Canada 5.0 Hong Kong Nectarine - [India 5.0] [Indonesia 5.0] [Iran 5.0] [Malaysia 5.0] [Singapore 5.0] Taiwan 5.0 [Thailand 5.0]

**MAXIMUM RESIDUE LIMITS FOR PERMISSIBLE CHEMICALS**
**PEACHES & NECTARINES**

Chemical	Trade Names	Local SA Reg. MRL (PPM)	Local Withholding period (Days)	Export Default MRL (PPM)	Export Default Withholding period (Days)	EU MRL Status 2017 (PPM)	USA MRL (PPM)	Russian Default MRL (PPM)	Russian MRL Export Default Withholding Period (MOU terms) (Days)	Codex MRL (PPM)	MRL Notes (PPM)
<b>Formetanate</b> (nectarines only)	Dicarzol	0.02	100	0.01	Before flowering only	0.01	0.4 (Revocation 31/12/16)	-		-	
<b>Furfural</b>	Crop Guard	-	0	≤0.01	0	1.0	-	-		-	
<b>Gamma-cyhalothrin</b>	Vantex 60 CS	0.5	14	0.01	Contact relevant Agchem company to confirm	0.01	0.5 (stone)	0.03 Fruits (stone type) as lambda-cyhalothrin	Contact relevant Ag Chem Company to confirm	0.5 as Cyhalothrin	
<b>Indoxacarb</b>	Steward Steward 150 EC Doxstar flo Margin 300 WDG (Nectarines only) Session 300 WDG (Nectarines only) Indo 300 WDG (Nectarines only)	0.2	28	0.2	28 (Max. 2 applications)	1.0	0.9 (stone)	-		1.0 (Stone fruit)	Canada (0.1)
<b>Iprodione</b> <b>Note:</b> EU authorisation/ MRL withdrawal pending, may affect late season fruit types	Rovral Flo (Nectarines and canning peaches only) Iprone 500 SC Iprodione 255	5.0	3	5.0	5 Days Pre-harvest foliar spray (Nectarines/ Canning peaches only)	10.0	20.0	-		10.0 (Peach) - (Nectarine)	Hong Kong Nect. - India Nect. - Indonesia Nect. - Iran Nect. - Malaysia Nect. (0.01) Singapore Nect. - Switzerland 3.0 Thailand Nect. -
	Iproflo Roflo				3 days before harvest						
	Rovral Aquaflo (Nectarines only)				0 - PHT (Nectarines only)						
	Pickle 500 SC Taurus 500 SC (Nectarines & fresh peaches only) Iprodione 500 SC (Nectarines & fresh peaches only)				5 Days Pre-harvest foliar spray						
	Prodione	12.0	5		5						



### MAXIMUM RESIDUE LIMITS FOR PERMISSIBLE CHEMICALS

#### PEACHES & NECTARINES

Chemical	Trade Names	Local SA Reg. MRL (PPM)	Local Withholding period (Days)	Export Default MRL (PPM)	Export Default Withholding period (Days)	EU MRL Status 2017 (PPM)	USA MRL (PPM)	Russian Default MRL (PPM)	Russian MRL Export Default Withholding Period (MOU terms) (Days)	Codex MRL (PPM)	MRL Notes (PPM)
<b>Lambda-cyhalothrin</b>	Karate EC Karate Zeon Cylam Judo 50 EC Lambda 50 EC Lamdex 5 EC Lambda EC Karate Zeon 10 CS Karis 5 CS	0.5	14	0.2	28	0.2	0.5 (stone)	0.03* Stonefruit	Not after flowering	0.5 (as Cyhalothrin, including Lambda-cyhalothrin)	
<b>Mancozeb</b>	Dithane M-45 800 WP NT Dithane M-45 800 WP Dithane 750 WG Neotec Newzeb 800 WP Unizeb WP Mancozeb 800 WP (peaches only) Tridex Penncozeb Mancozeb 800 WP (L9169) (peaches only) Vondozeb Pennfluid 420 SC Ventum 800 WP Villa Unizeb WP Tsumeb Farmag Mancozeb 800 WP (Peaches only)	3.0	28	2.0	Peach - 63 Nectarines - 42	2.0	-	-		7.0 (Stone fruit) (Dithiocarb.)	Canada (0.1)
<b>Maneb</b>	Mangle SC (peaches only) Vandal (peaches only)	3.0	14	2.0	Peach - 63 Nectarines - 42	2.0	-	-		7.0 (stone) (Dithiocarb.)	Canada (0.1)
<b>Mefenoxam (Metalaxyl)</b>	Ridomil Gold	1.0	30	0.05	30	0.05 (Stone fruit, as Metalaxyl) (Unpublished Sante/11077/2016, proposed new MRL 0.01)	1.0 (Stone fruit, as Metalaxyl)	-	Contact relevant Ag Chem Company to confirm	-	India - Indonesia - Iran - Malaysia (0.01) Singapore - Taiwan - Thailand -

**MAXIMUM RESIDUE LIMITS FOR PERMISSIBLE CHEMICALS**
**PEACHES & NECTARINES**

Chemical	Trade Names	Local SA Reg. MRL (PPM)	Local Withholding period (Days)	Export Default MRL (PPM)	Export Default Withholding period (Days)	EU MRL Status 2017 (PPM)	USA MRL (PPM)	Russian Default MRL (PPM)	Russian MRL Export Default Withholding Period (MOU terms) (Days)	Codex MRL (PPM)	MRL Notes (PPM)
<b>Mercaptothion/Malathion</b>	Datathion Mercaptothion 500 EC Avi-Merkaptotoks WP Avi Guard Fyfanon 440 EW	4.0	10	0.02	28 Bait application ONLY  <b>A maximum concentration of 500ml/ 100l of a 500EC mercaptothion formulation may be used in protein hydrolysate spray mixture with a maximum spray volume of 50 litres water per hectare</b>	0.02	8.0	0.5 Stonefruit		-	Indonesia - Malaysia (0.01) Singapore Nect. - Taiwan 0.01 Thailand -
<b>Methamidophos</b>	Metamidofos SL Metfos Methamidophos 585 SL Bitrad Methamidophos	1.00	28	0.01	Before 30% blossom and the release of bees	0.01	-	-		-	Iran Banned
<b>Methidathion</b>	Methidathion 420 EC Suprathion 420 EC	0.2	EC- Dormant application only WP- 28	0.02	EC - Dormant application only WP - Up to 90% petal fall	0.02	0.05 (stone) (Expiration)	-		0.2 (Nectarine)	India peach - Iran Banned Taiwan -
<b>Methomyl</b>	Kuik 900 SP Methomate 200 SL Methomyl 200 SL Methomyl 90 SP Masta 900 SP (Peaches only) Methomex 90 SP Masta 200 SL Methomyl 900 SP KUIK 900 SP Ciplamyl 90 SP (Peaches only) Methomex 200 SL Spitfire 900 SP Kuik 900 SP	0.2	16	0.01	28	0.01	5.0	-		0.2	
<b>Metiram</b>		3.0	14	2.0	Peach - 63 Nectarines - 42	2.0	-	-	Contact relevant Ag chem company to confirm	7.0 (stone) (Dithiocarb.)	Canada (0.1)





### MAXIMUM RESIDUE LIMITS FOR PERMISSIBLE CHEMICALS

#### PEACHES & NECTARINES

Chemical	Trade Names	Local SA Reg. MRL (PPM)	Local Withholding period (Days)	Export Default MRL (PPM)	Export Default Withholding period (Days)	EU MRL Status 2017 (PPM)	USA MRL (PPM)	Russian Default MRL (PPM)	Russian MRL Export Default Withholding Period (MOU terms) (Days)	Codex MRL (PPM)	MRL Notes (PPM)
Mineral oil		-	Dormant application only	≤ 0.01	Dormant application only	-	-	-		-	
Oxamyl	Vydate SL	0.01	Early fruit set stage	≤ 0.01	Early fruit set stage	0.01	-	-		-	
Paclobutrazol	Avocet Cultar	0.05	Post harvest, pre leaf drop	0.05	Post harvest, pre leaf drop	0.5	-	-		-	Hong Kong - India - Indonesia - Iran - Malaysia (0.01) Singapore - Thailand - Taiwan 0.01
Pirimicarb	Aphox	3.0	21	1.5	21	1.5	-	0.05 Stonefruit	Contact relevant Ag chem company to confirm	3.0 (Stone fruit)	Singapore 0.5 Switzerland 1.0
Prochloraz	Octave Chronos 450 SC	-	FST	≤ 0.01	Do not apply after blossom	0.05	-	-		-	Indonesia -
Propargite (Yellow cling peaches only)*	Omite 30 WSB*	2.0	21	0.01	Do not apply after 100% petal drop	0.01	Peach - Nectarine 4.0	0.5* Stonefruit	Not after 90% petal fall	4.0 (Stone fruit)	Switzerland 1.5
Propiconazole	Tilt Propizole 250 EC Propiconazole 250 EC Bumper 250 EC Propimax Admiral 250 EC (Peaches only) Propicon 250 EC	0.5	10	0.5	10	5.0	4.0	-		5.0 (Peach) - (Nectarine)	Iran Banned India Nect - Indonesia Nect. - Malaysia Nect. (0.01) Singapore Nect. - Thailand Nect. -
Prothiofos	Tokuthion® 960 EC	0.05	FST	≤ 0.01	Dormant application only	-	-	-		-	

**MAXIMUM RESIDUE LIMITS FOR PERMISSIBLE CHEMICALS**
**PEACHES & NECTARINES**

Chemical	Trade Names	Local SA Reg. MRL (PPM)	Local Withholding period (Days)	Export Default MRL (PPM)	Export Default Withholding period (Days)	EU MRL Status 2017 (PPM)	USA MRL (PPM)	Russian Default MRL (PPM)	Russian MRL Export Default Withholding Period (MOU terms) (Days)	Codex MRL (PPM)	MRL Notes (PPM)
Pyrimethanil	Protector 400 SC Pyrimet 400 SC Source 400 SC Support 400 SC	5.0	3	5.0	3	10.0	10.0 (stone)	-		4.0	Hong Kong 4.0 [India 4.0] [Indonesia 4.0] [Iran 4.0] [Malaysia 4.0] [Singapore 4.0] [Thailand 4.0] Taiwan 4.0
Pyrimethanil +	Tutor 500 SC	5.0	3	5.0	3	10.0	10.0 (stone)	-		4.0	Hong Kong 4.0 [India 4.0] Indonesia 4.0 [Iran 4.0] [Malaysia 4.0] [Singapore 4.0] [Thailand 4.0] Taiwan 4.0
Fludioxonil		7.0		7.0		10.0	5.0 (stone)			5.0 (Stone fruit)	Canada 5.0 [India 5.0] Indonesia 5.0 [Iran 5.0] [Malaysia 5.0] Taiwan Peach 5.0 [Thailand 5.0]
Pymetrozine	Chess	0.05	28	0.03	28	0.03	-	-		-	Hong Kong - India - Indonesia - Malaysia (0.01) Singapore - Thailand - Taiwan 0.01
Soyabean oil	MProve Oil	-	Dormant application only	-	Dormant application only	0.01	Exp.	-		-	
Spinetoram	Delegate 250 WG	0.1	7	0.1	7	0.3	0.3 (stone)	-		0.3	Hong Kong -

**MAXIMUM RESIDUE LIMITS FOR PERMISSIBLE CHEMICALS**
**PEACHES & NECTARINES**

Chemical	Trade Names	Local SA Reg. MRL (PPM)	Local Withholding period (Days)	Export Default MRL (PPM)	Export Default Withholding period (Days)	EU MRL Status 2017 (PPM)	USA MRL (PPM)	Russian Default MRL (PPM)	Russian MRL Export Default Withholding Period (MOU terms) (Days)	Codex MRL (PPM)	MRL Notes (PPM)
<b>Spinosad</b>	Tracer 480 SC Entrust Naturalyte 800 WP	0.5 (Nectarines) 0.05 (Peach)	7 (Nectarines) 21 (Peaches)	0.5 (Nectarines) 0.05 (Peaches)	7 (Nectarines) 21 (Peaches) Max. 4 applications	0.6	0.2 (stone)	-	21	0.2 (Stone fruit)	Canada Nect. (0.1) [Indonesia Nect.0.2] [Iran Nect. 0.2] [Malaysia Nect.0.2] [Singapore Nect.0.2] [Thailand Nect.0.2] Taiwan Nect. -
	GF - 120 NF		0		0 Multiple bait applications						
<b>Spinosad +</b>	STATIC Spinosad ME	0.5 (Nectarines) 0.05 (Peach)	1	0.5 (Nectarines) 0.05 (Peaches)	1	0.6	0.2 (stone)	-		0.2 (stone)	Canada Nect. (0.1) [Indonesia Nect.0.2] [Iran Nect. 0.2] [Malaysia Nect.0.2] [Singapore Nect.0.2] [Thailand Nect.0.2] Taiwan Nect. -
<b>Methyl eugenol</b>		-		-		No MRL required	-	-		-	
<b>Steinernema Carpopapsae (Beneficial nematodes)</b>	Nemasys C	-	0	-	0	-	-	-		-	
<b>Sulfoxaflor</b>	Closer 240 SC	0.04	14	0.04	14	0.5	3.0 (Stone)	-		0.4	Switzerland - Taiwan -
<b>Sulphur</b>	Kumulus 800 WG Thiovit Jet Flowable Sulphur Dusting Sulphur Cosavet Striker Striker SC Ciplapol S 320 (peaches only) Sulfostar (peaches only) Microthiol Special Sulgran 800 WDG	50.0	0	50.0	0	No MRL required	Exp.	-		-	Hong Kong Exp. Indonesia - Iran - Malaysia Exp. Singapore - Thailand - Taiwan Exp.



### MAXIMUM RESIDUE LIMITS FOR PERMISSIBLE CHEMICALS

#### PEACHES & NECTARINES

Chemical	Trade Names	Local SA Reg. MRL (PPM)	Local Withholding period (Days)	Export Default MRL (PPM)	Export Default Withholding period (Days)	EU MRL Status 2017 (PPM)	USA MRL (PPM)	Russian Default MRL (PPM)	Russian MRL Export Default Withholding Period (MOU terms) (Days)	Codex MRL (PPM)	MRL Notes (PPM)
<b>Taufluvalinate</b>	Klartan 240 EW	0.02	60	0.02	60	0.3	-	0.01 Stonefruit		-	Hong Kong - India - Indonesia - Iran - Malaysia (0.01) Singapore - Thailand - Taiwan -
<b>Thiacloprid</b>	Calypso 480 SC Consult 480 SC Compare 480 SC	0.1	60	0.1	60 (Max. 3 sprays)	0.5	Peach 0.5 Nectarine -	-		0.5 (Stone fruit)	
<b>Thiram</b>	Thiram 750 WP  Ag-Thiram 800 WP (peaches only) Thiram 75 WP (Peaches only)	3.0	14	2.0	Not later than flowering	2.0 (as CS <sub>2</sub> ) and 3.0 (as thiram)	Peach 7.0 Nectarine -	0.01 (All food products)		7.0  (stone) (Dithiocarb.)	
<b>Trichlorfon</b>	Trichlorfon 950 SP	0.2	10	0.01	Only for use in bait applications, not later than 75% petal drop	0.01	-	0.1 Stonefruit		-	
<b>Zeta-cypermethrin (peaches only)</b>	Fury 10 EW Fury	0.2	14	0.2	14	2.0 (Cypermethrin/ isomers)	1.0 (stone)	0.1* Stonefruit	28	2.0 (stone, as cypermethrin, including Zeta- cypermethrin)	Indonesia - Thailand -