



MAXIMUM RESIDUE LIMITS FOR PERMISSIBLE CHEMICALS

APRICOTS											
Chemical	Trade Names	Local SA Reg. MRL (PPM)	Local Withholding Period (Days)	Export Default MRL (PPM)	Export Default Withholding Period (Days)	EU MRL Status 2017 (PPM)	USA MRL (PPM)	Russian Default MRL (PPM)	Russian MRL Export Default Withholding Period (MOU terms) (Days)	Codex MRL (PPM)	MRL Notes (PPM)
(E)-8-Dodecen-1-yl acetate + (Z)-8-Dodecen-1-yl acetate	Checkmate FCM-F Isomate FCM RB Splat FCM	-	-	0.01	-	0.01	-	-		-	
Abamectin	Agriamec Gold	0.02	21	0.02	21	0.02	0.09 (stone)	-		0.03 (Peaches - Including Nectarines and Apricots)	Iran 0.01 Taiwan 0.01
Acetamiprid +	Cormoran 180 EC	0.2	28	0.2	28	0.8	1.2	-		-	India - Indonesia - Iran - Malaysia (0.01) Singapore - Taiwan 0.01 Thailand -
Novaluron		0.5				2.0	-	-		7.0	
Azinphos-methyl	Azinfos Methyl 350 WP	2.0	28	0.05	56 Max. 4 applications	0.05	-	-		1.0 (Fruit)	Taiwan -
Azoxystrobin	Ortiva	2.0	1	2.0	1	2.0	2.0 (stone)	-		2.0 (Stone)	Canada 0.1 Taiwan 1.0
Bacillus Thuringiensis	Betapro DiPel DF	-	-	-	-	0.01	Exp.	-		-	
Beauveria bassiana	Broadband Eco-Bb	-	-	-	-	0.01	Exp.	-		-	
Benomyl	Benomyl 500 WP Benomyl Farmag Benomyl 500 WP	3.0	Do not use after flowering	0.2	Do not use after flowering	0.2	-	0.075 Stonefruit	Not after flowering	2.0 (as Carbendazim)	Taiwan 0.01
Bollworm Nucleopolyhedrovirus	Boldex Graboll Helicovir	-	0	-	0	Exp.	Exp.	-		-	
Botanical extracts (Garlic extract; Canola oil)	Kannar Kangar 931	Exp.	0	0.01	0	Garlic extract - No MRL required (Annex IV) Canola oil 0.01	-	-		-	

MAXIMUM RESIDUE LIMITS FOR PERMISSIBLE CHEMICALS

APRICOTS											
Chemical	Trade Names	Local SA Reg. MRL (PPM)	Local Withholding Period (Days)	Export Default MRL (PPM)	Export Default Withholding Period (Days)	EU MRL Status 2017 (PPM)	USA MRL (PPM)	Russian Default MRL (PPM)	Russian MRL Export Default Withholding Period (MOU terms) (Days)	Codex MRL (PPM)	MRL Notes (PPM)
Botanical extracts (Natural pyrethrin; Garlic extract; Canola oil)	Kannar KangroShield 100	0.05	2	0.01	2	Pyrethrin 1.0 Garlic extract - [No MRL required (Annex IV)] Canola oil 0.01	-	-		-	
	Kannar Pygar 932		1								
Botanical extracts/ plant acids (Citric acids; Lactic acids; Ascorbic acid)	Kannar KanShield 941	Exp.	0	0.01	0	Plant acids - 0.01 Citric acids - 0.01 Lactic acids - 0.01 Asorbic acid - 0.01	Plant acids - Citric acids - Lactic acids Exp. Asorbic acid -	-		-	
Botanical extracts (Natural pyrethrin)	Xterminator	1.0	0	1.0	0	1.0	1.0	-		-	Hong Kong - Indonesia - Iran - Malaysia 0.01 Taiwan 0.3 Thailand -
Cadusafos	Rugby 10 ME Rugby 10 G Rugby Soccer 100 EW Hockey 100 EW	≤ 0.01	0	≤0.01	0	0.01	-	-		-	
Captab/Captan	Captab WP Thor 500 WP	15.0	14	6.0	35	6.0	10.0	-		-	Indonesia - Malaysia (0.01)
Chlorantraniliprole + Lambda-cyhalothrin	Ampligo	1.0	14	1.0	28	1.0	4.0 (stone)	1.0 Stone fruit	Contact relevant Ag-Chem Company to confirm	1.0 (Stone)	
		0.5		0.2		0.2	0.5 (stone)	0.03* Stonefruit		0.5	Taiwan -
Chlorpyrifos	Lirifos 480 EC Dursban 480 EC Dursban 750 WG Chlorban EC Pyrinex 250 CS Pyrinex 480 EC Klub M5 Chlorpyrifos Chlorifos	0.05	Dormant application only	0.05	Dormant application only	0.05 (Unpublished Sante/10304/2017, proposed new MRL 0.01)	-	0.2 Stonefruit		-	Indonesia - Malaysia (0.01) Singapore - Taiwan 0.01 Thailand -
Codling moth and Oriental fruit moth granulosus virus	Madex Twin Madex Dual	-	-	-	-	-	-	-		-	

MAXIMUM RESIDUE LIMITS FOR PERMISSIBLE CHEMICALS
APRICOTS

Chemical	Trade Names	Local SA Reg. MRL (PPM)	Local Withholding Period (Days)	Export Default MRL (PPM)	Export Default Withholding Period (Days)	EU MRL Status 2017 (PPM)	USA MRL (PPM)	Russian Default MRL (PPM)	Russian MRL Export Default Withholding Period (MOU terms) (Days)	Codex MRL (PPM)	MRL Notes (PPM)
Copper (Cu) Oxychloride and other Cu salts	Copper Oxychloride WP Cuprofix Dispers Coprox WP Coprox Super Copro Flow S Demildex Farmag Copper Oxychloride Farmag Cu Super Copflo Super	20.0	14	5.0	Not later than bud swell	5.0	Exp.	5.0 Stonefruit		-	Hong Kong - Indonesia - Taiwan Exp.
Cyanamide	Dormex Deurbraak Bloomer Dorcy Cymex Cyan Alert 520 SL	0.05	Dormant application only	0.01	Dormant application only	0.01	-	-		-	Hong Kong - India - Indonesia - Iran - Malaysia (0.01) Singapore - Taiwan -
Cyprodinil	Chorus	2.0	2	2.0	2	2.0	2.0 Stone fruit	2.0 Stone fruit		2.0 Stone fruit	
Didecyldimethylammonium chloride	Sporekill	0.1	82 Do not apply after first fruit set	0.1	82 Do not apply after first fruit set	0.1	-	-		-	Hong Kong - India - Indonesia - Iran - Malaysia (0.01) Singapore - Taiwan - Thailand -
Emamectin benzoate	Warlock 19.2 EC	0.03	14	0.02	21	0.02	-	-		-	Hong Kong - India - Indonesia - Iran - Malaysia (0.01) Singapore - Thailand -
False Codling moth granulosus virus	Cryptex	-	-	-	-	-	-	-		-	

MAXIMUM RESIDUE LIMITS FOR PERMISSIBLE CHEMICALS

APRICOTS											
Chemical	Trade Names	Local SA Reg. MRL (PPM)	Local Withholding Period (Days)	Export Default MRL (PPM)	Export Default Withholding Period (Days)	EU MRL Status 2017 (PPM)	USA MRL (PPM)	Russian Default MRL (PPM)	Russian MRL Export Default Withholding Period (MOU terms) (Days)	Codex MRL (PPM)	MRL Notes (PPM)
Fenbuconazole	Indar 50 EW	1.0	1	1.0	5 Max. 4 applications	1.0	1.0 (stone)	-	10 Max. 2 applications	0.5	Canada 0.3 Hong Kong 0.5 [India 0.5] [Indonesia 0.5] [Iran 0.5] [Malaysia 0.5] [Singapore 0.5] Taiwan 0.5
Fludioxonil	Scholar Teacher 230 SC	5.0	1	5.0	1	5.0	5.0 (stone)	-		5.0 (Stone)	Taiwan -
Furfural	Crop Guard	-	0	≤0.01	0	1.0	-	-		-	
Gamma-cyhalothrin	Vantex 60 CS	0.5	14	0.01	Contact relevant Agchem company to confirm	0.01	0.5 (stone)	0.03 Fruits (stone type) as lambda-cyhalothrin	Contact relevant Ag-Chem Company to confirm	0.5 as Cyhalothrin	
Iprodione Note: EU authorisation/ MRL withdrawal pending, may affect late season fruit types	Rovral Aquaflo (Only) Roflo	5.0	3	5.0	5 Day Pre-harvest foliar spray OR 0 - PHT (Do not apply as both foliar and PHT)	6.0	20.0	-		-	Hong Kong - India - Indonesia - Iran - Malaysia (0.01) Singapore -
	Pickle 500 SC				5 Day Pre-harvest foliar spray						
	IproFlo Roflo				3 days before harvest						
	Prodione		5 Day Pre-harvest foliar spray								
			5								



MAXIMUM RESIDUE LIMITS FOR PERMISSIBLE CHEMICALS

APRICOTS											
Chemical	Trade Names	Local SA Reg. MRL (PPM)	Local Withholding Period (Days)	Export Default MRL (PPM)	Export Default Withholding Period (Days)	EU MRL Status 2017 (PPM)	USA MRL (PPM)	Russian Default MRL (PPM)	Russian MRL Export Default Withholding Period (MOU terms) (Days)	Codex MRL (PPM)	MRL Notes (PPM)
Lambda-cyhalothrin	Karate EC Karate Zeon Cylam 50 EC Judo 50 EC Lamdex 5 EC Lambda 50 EC Lambda EC Karate Zeon 10 SC Karis 5 CS	0.5	14	0.2	28	0.2	0.5 (stone)	0.03* Stonefruit	Not after flowering	0.5	
Mancozeb	Dithane M-45 800 WP NT Dithane M-45 800 WP Dithane 750 WG Neotec Newzeb 800 WP Villa Unizeb WP Mancozeb 800 WP Tridex Penncozeb WG Mancozeb 800 WP (L9169) Vondozeb Pennfluid 420 SC Ventum 800 WP Crater 455 SC Mancozeb (L7352) Mancozeb (L3517) Tsumeb Farmag Mancozeb 800 WP	3.0	28	2.0	42	2.0	-	-		7.0 (stone) (Dithiocarb.)	Canada (0.1) Iran 0.2
Maneb	Mangle® SC Vandal®	3.0	14	2.0	42	2.0	-	-		7.0 (stone) (Dithiocarb.)	Canada (0.1) Iran 0.2
Mefenoxam (Metalaxy)	Ridomil Gold	1.0	Use on non-bearing trees only	0.01	Use on non-bearing trees only	0.05 (Stone fruit, as Metalaxy) EU MRL 0.01 from 21/01/2018 EU Commission Regulation 2017/1164	1.0 (Stone fruit, as Metalaxy)	-	Contact relevant Ag-Chem Company to confirm	-	Hong Kong - India - Indonesia - Iran - Malaysia (0.01) Singapore - Thailand -

MAXIMUM RESIDUE LIMITS FOR PERMISSIBLE CHEMICALS

APRICOTS											
Chemical	Trade Names	Local SA Reg. MRL (PPM)	Local Withholding Period (Days)	Export Default MRL (PPM)	Export Default Withholding Period (Days)	EU MRL Status 2017 (PPM)	USA MRL (PPM)	Russian Default MRL (PPM)	Russian MRL Export Default Withholding Period (MOU terms) (Days)	Codex MRL (PPM)	MRL Notes (PPM)
Mercaptothion/Malathion	Datathion EC Mercaptothion 500 EC Avi-Merkaptotoks WP Mercaptothion DP Avi Guard Fylanon 440 EW	4.0	10	0.02	28 Bait application ONLY A maximum concentration of 500ml/ 100l of a 500EC mercaptothion formulation may be used in protein hydrolysate spray mixture with a maximum spray volume of 50 litres water per hectare	0.02	8.0	0.5 Stonefruit		-	Indonesia - Malaysia (0.01) Singapore - Taiwan 0.01 Thailand -
Methidathion	Suprathion 420 EC Methidathion 420 EC	0.2	EC- Dormant application only WP-42	0.02	EC- Dormant application only WP- up to 90% petal drop	0.02	0.05 (stone) (Expiration 31/12/2016)	-		-	India - Indonesia - Iran - Banned Malaysia (0.01) Taiwan -
Metiram		3.0	14	2.0	42	2.0	-	-	Contact relevant Ag-Chem Company to confirm	7.0 (stone) (Dithiocarb.)	Canada (0.1) Iran 0.2
Mineral Oil	Budbreak Ampron CROPCHEM 86% Winter oil	-	Dormant application only	≤ 0.01	Dormant application only	-	-	-		-	
Pirimicarb	Aphox	3.0	21	3.0	21	3.0	-	0.05 Stonefruit	Contact relevant Ag-Chem Company to confirm	3.0 (Stone)	Canada (0.1) Switzerland 1.0 Taiwan -
Prochloraz	Octave WP Chronos 450 SC	-	FST	≤ 0.01	Blossom application only	0.05	-	-		-	Indonesia - Iran -
Propiconazole Application only during blossom	Tilt Propiconazole 250 EC Pripazole 250 EC Propimax Propicon 250 EC	0.05	Do not use after flowering	0.05	Not to be used after blossom	0.15	4.0 (stone)	-		-	India - Indonesia - Iran - Banned Malaysia (0.01) Singapore -
Prothiofos	Tokuthion* 960 EC	0.05	FST	≤ 0.01	Only dormant application	-	-	-		-	



MAXIMUM RESIDUE LIMITS FOR PERMISSIBLE CHEMICALS

APRICOTS											
Chemical	Trade Names	Local SA Reg. MRL (PPM)	Local Withholding Period (Days)	Export Default MRL (PPM)	Export Default Withholding Period (Days)	EU MRL Status 2017 (PPM)	USA MRL (PPM)	Russian Default MRL (PPM)	Russian MRL Export Default Withholding Period (MOU terms) (Days)	Codex MRL (PPM)	MRL Notes (PPM)
Pymetrozine	Chess	0.05	28	0.03	28	0.03	-	-		-	Hong Kong - India - Indonesia - Malaysia (0.01) Singapore - Taiwan 0.01 Thailand -
Pyrimethanil	Protector 400 SC Pyrimet 400 SC Source 400 SC Support 400 SC	3.0	3	3.0	3	10.0	10.0 (stone)	-		3.0	
Pyrimethanil + Fludioxonil	Tutor 500 SC	3.0	1	3.0	1	10.0	10.0 (stone)			3.0	Taiwan -
		5.0		5.0		5.0	5.0 (stone)			5.0 (Stone)	
Soybean oil	MProve oil	-	Dormant application only	-	Dormant application only	0.01	Exp.	-		-	
Spinetoram	Delegate 250 WG	0.1	7	0.1	7	0.2	0.3 (stone)	-		-	Hong Kong - India - Indonesia - Iran - Malaysia - Singapore - Switzerland - Thailand -
Spinosad	GF 120 NF	0.01	0	0.01	0 Multiple bait applications	0.6	0.2 (stone)	-		0.2 (stone)	
Spinosad + Methyl eugenol	STATIC Spinosad ME	0.01	1	0.01	1	0.6	0.2 (stone)	-		0.2 (stone)	
		-		-		No MRL required	-			-	

MAXIMUM RESIDUE LIMITS FOR PERMISSIBLE CHEMICALS
APRICOTS

Chemical	Trade Names	Local SA Reg. MRL (PPM)	Local Withholding Period (Days)	Export Default MRL (PPM)	Export Default Withholding Period (Days)	EU MRL Status 2017 (PPM)	USA MRL (PPM)	Russian Default MRL (PPM)	Russian MRL Export Default Withholding Period (MOU terms) (Days)	Codex MRL (PPM)	MRL Notes (PPM)
Sulphur	Kumulus WG Thiovit Jet Flowable Sulphur Lime Sulphur Liquid Concentrate Cosavet Striker Ciplapol S 320 Striker SC Sulfostar Dusting sulphur Microthiol Special Sulgran 800 WDG	50.0	0	50.0	0	No MRL required	Exp.	-		-	Hong Kong Exp. Indonesia - Iran - Malaysia Exp. Taiwan Exp.
Thiram	Thiram 750 WP Thiram 75 WP	3.0	35	2.0	Not later than flowering	2.0 (as CS ₂) and 3.0 (as thiram)	-	0.01 (All food products)	Not after 90% petal fall	7.0 (stone) (Dithiocarb.)	Canada (0.1) Iran 0.2
	Ag-Thiram 800 WP		14		14						
Trichlorfon	Trichlorfon 950 SP	0.2	10	0.01	Only for use in bait applications, not later than 75% petal drop	0.01	-	0.1 Stonefruit		-	Indonesia - Iran - Taiwan -