

MAXIMUM RESIDUE LIMITS FOR PERMISSIBLE CHEMICALS**TABLE GRAPES**

Chemical	Trade Names	Local SA Reg. MRL (PPM)	Local Withholding Period (Days)	Export Default MRL (PPM)	Export Default Withholding Period (Days)	EU MRL Status 2017 (PPM)	USA MRL (PPM)	Russian Default MRL (PPM)	Russian MRL Export Default Withholding Period (MOU terms) (Days)	Codex MRL (PPM)	MRL Notes (PPM)
(E)-8-Dodecen-1-yl acetate + (Z)-8-Dodecen-1-yl acetate	Checkmate FCM-F Isomate FCM RB Splat FCM	-	-	0.01	-	0.01	-	-		-	
Acetamiprid	Mospilan 20 SG Sharda Acetamiprid 200 SP Tamprid Devalan 20 SP	1.0	45	0.5	Not after beginning of flowering	0.5	0.35 Fruit, small, vine climbing, sub-group 13-07F	-		0.5	Hong Kong - Israel 0.05 Canada 0.35 Switzerland 0.2
Alpha-cypermethrin	Alpha-Thrin 100 SC Avalanche Ag-Alpha Cyper 100 SC Sentry EC Fastac SC	0.05	28	0.05	28	0.5 (Cypermethrin/ isomers)	2.0 (cypermethrin)	0.005 Grape	Not after flowering	0.2 (as cypermethrin including alpha- and zeta-cypermeth)	
Ametoctradin + Dimethomorph	Orvego®	5.0	21	5.0	21	6.0	4.0	-		6.0	China 2.0 Hong Kong - Canada 4.0 Switzerland -
				3.0		3.0	3.0	3.0		3.0	Hong Kong 2.0 India 0.05 Indonesia 2.0 Israel 0.1 Taiwan 1.0 Vietnam 2.0

MAXIMUM RESIDUE LIMITS FOR PERMISSIBLE CHEMICALS

TABLE GRAPES

Chemical	Trade Names	Local SA Reg. MRL (PPM)	Local Withholding Period (Days)	Export Default MRL (PPM)	Export Default Withholding Period (Days)	EU MRL Status 2017 (PPM)	USA MRL (PPM)	Russian Default MRL (PPM)	Russian MRL Export Default Withholding Period (MOU terms) (Days)	Codex MRL (PPM)	MRL Notes (PPM)
Azoxystrobin	Quadris 50 WG Mirador 250 SC Essence 500 WDG Monarch 500 WDG Obstructo 250 SC Nanok Aztrix 250 SC Aroxy 250SC	1.0	14	1.0	14	3.0	2.0 Fruit, small, vine climbing, sub-group 13-07F	0.2 Grape	Up to 5 mm berry diameter	2.0	Israel 0.6
Bacillus amyloliquefaciens	Amylo-X	-	-	-	-	No MRL required	-	-		-	
Bacillus subtilis	SERENADE® ASO	-	-	-	-	-	Exp.	-		-	
Bacillus Thuringiensis	DiPel DF	-	-	-	-	-	-	-		-	
Benomyl	Benomyl 500 WP Benomyl Farmag Benomyl 500 WP	1.0	Not after small pea berry size 4-6 weeks	0.3	Do not use after flowering	0.3	-	0.015 Grapes	Do not use after flowering	3.0 (as carbendazim)	
Benthiavalicarb *also refer to Mancozeb	Valbon WG*	0.2	28 (Table grapes: not later than 5mm berry size)	0.2	28 (Table grapes: not later than 5mm berry size)	0.3	0.25 (grape import)	-		-	China - Hong Kong - India - Iran - Indonesia - Israel 0.03 Malaysia (0.01) Singapore - Taiwan - Vietnam -
Beta-cyfluthrin *also refer to Mancozeb	Bulldock 050 EC	0.1	35	0.1	35	0.3 (Cyfluthrin/ isomers)	1.0	-		-	China - India - Indonesia - Iran - Israel - Malaysia (0.01) Singapore - Taiwan 0.01 Vietnam -

MAXIMUM RESIDUE LIMITS FOR PERMISSIBLE CHEMICALS
TABLE GRAPES

Chemical	Trade Names	Local SA Reg. MRL (PPM)	Local Withholding Period (Days)	Export Default MRL (PPM)	Export Default Withholding Period (Days)	EU MRL Status 2017 (PPM)	USA MRL (PPM)	Russian Default MRL (PPM)	Russian MRL Export Default Withholding Period (MOU terms) (Days)	Codex MRL (PPM)	MRL Notes (PPM)
Beta-cypermethrin	Akito	0.05	28	0.05	28	0.5	2.0 (cypermethrin)	0.2 Grapes		0.2 (as cypermethrin including alpha- and zeta-cypermeth)	
Bollworm Nucleopolyhedrovirus	Bolldex Graboll Helicovir	-	0	-	0	Exp.	Exp.	-		-	
Boscalid	Cantus Collis (+ Kresoxim-methyl) Basis SC	5.0	28	5.0	28	5.0	5.0 Fruit, small, vine climbing subgroup 13-07F	5.0 Grapes		5.0	Canada 3.5 Taiwan 1.0
Boscalid + Kresoxim-methyl	Mascot Collis	5.0	28	5.0	28	5.0	5.0 Fruit, small, vine climbing subgroup 13-07F	5.0 Grapes		5.0	Canada 3.5 Taiwan 1.0
		0.5	28	0.5	28	1.0	1.0	0.5 Grape		1.0	
Botanical Extract/ Plant Acid (Ascorbic acid; Citrus extract)	Bestcure	0.01	0	0.01	0	0.01	Exp.	-		-	
Botanical extracts (Natural pyrethrin)	Xterminator	1.0	0	1.0	0	1.0	1.0	-		-	China- Indonesia - Iran - Israel - Malaysia 0.01 Taiwan 0.3 Thailand - Vietnam -
Bromopropylate	Capacity 500 EC Ripple 500 EC Flair	1.0	21	0.01	Not later than 80% flowering	0.01	-	0.01* Grape		2.0	

MAXIMUM RESIDUE LIMITS FOR PERMISSIBLE CHEMICALS

TABLE GRAPES

Chemical	Trade Names	Local SA Reg. MRL (PPM)	Local Withholding Period (Days)	Export Default MRL (PPM)	Export Default Withholding Period (Days)	EU MRL Status 2017 (PPM)	USA MRL (PPM)	Russian Default MRL (PPM)	Russian MRL Export Default Withholding Period (MOU terms) (Days)	Codex MRL (PPM)	MRL Notes (PPM)
Cadusafos	Rugby 10 ME Rugby 10 G Rugby	≤ 0.01	0	≤ 0.01	0	0.01	-	-		-	
Captab/Captan	Captab WP Thor 500 WP Captan 800 WG Sharda Captan 800 WG	15.0	DP-14 WP.** 6 Weeks, 4-6 mm berry size	0.03	Not after flowering	0.03	25.0	0.05 Grapes		25.0	Taiwan 25.0 (Vietnam Banned chemical)
Carbaryl	Carbaryl 850 WP Carbadust 50 DP Sevin XLR Plus 480 SC Avi Carbo DP	2.5	DP-14 WP.**	0.01	Do not apply after full bloom	0.01	10.0	-		-	China - India - Iran - Israel - Malaysia (0.01)
Carbendazim	Ag-Carbendazim 500 SC Zimbo	1.0	4-6 weeks before harvest and commencement of flowering	0.3	Do not apply after commencement of flowering	0.3	-	0.05* Grape	Do not apply after commencement of flowering	3.0	
Chlorantraniliprole	Altacor	1.0	3	1.0	3	1.0	-	1.0		1.0 Berries and other small fruits	Israel 0.4
Chlorphenapyr	Saber 360 SC Savage 360 SC	0.5	80	0.01	96 Before flowering	0.01	-	-		-	China - India - Indonesia - Iran - Israel - Singapore - Vietnam -
	Hunter 24 SC Plumett				Before beginning of flowering						

MAXIMUM RESIDUE LIMITS FOR PERMISSIBLE CHEMICALS

TABLE GRAPES

Chemical	Trade Names	Local SA Reg. MRL (PPM)	Local Withholding Period (Days)	Export Default MRL (PPM)	Export Default Withholding Period (Days)	EU MRL Status 2017 (PPM)	USA MRL (PPM)	Russian Default MRL (PPM)	Russian MRL Export Default Withholding Period (MOU terms) (Days)	Codex MRL (PPM)	MRL Notes (PPM)
Chlorpyrifos *dormant application	Lirifos 480 EC Dursban 480 EC Dursban 750 WG Chlorban EC Agropryifos 480 EC Pyrinex 480 EC Klub M5 Chlorpyrifos Pyrinex 250 CS Chlorifos Chlorpyrifos 480 EC	-	Dormant application and also stem treatment for WG formulation	≤ 0.01	Dormant application and stem treatment for Dursban 75 WG only	0.01	- (US FR indicates regional registration at 0.01)	0.4 Grapes		0.5	
Clothianidin	Dantop 20 SC	0.01	90 Apply not later than 80% bud burst	0.01	90 Apply not later than 80% bud burst	0.7	0.6	-		0.7	
Copper (Cu) Oxychloride and other Cu salts including Cupric hydroxide	CungFu Fungi Flow Copper Oxychloride WP Nordox 86% WG Cuprofix Disperss Demildex Cuprofix 30 Disperss Cuprofix Ultra Liquicop Kocide 2000 Copper Count-N Coprox WP Coprox Super Nanogreen SC Copper-Flow-Plus Farmag Cu Super Farmag Copper Oxychloride Copro Flow S Copflo Super Copstar 120 SC Copper Clear	20.0	DP-3 WP** 28-42 days 4-6 weeks	20.0	DP-3 WP- Not after pea berry size	50.0	Exp.	5.0 Grapes	DP - 14 WP - 5mm berry diameter	-	China - Hong Kong - Indonesia - Israel - Malaysia Exp Switzerland 15.0 Taiwan Exp. Vietnam -

MAXIMUM RESIDUE LIMITS FOR PERMISSIBLE CHEMICALS

TABLE GRAPES

Chemical	Trade Names	Local SA Reg. MRL (PPM)	Local Withholding Period (Days)	Export Default MRL (PPM)	Export Default Withholding Period (Days)	EU MRL Status 2017 (PPM)	USA MRL (PPM)	Russian Default MRL (PPM)	Russian MRL Export Default Withholding Period (MOU terms) (Days)	Codex MRL (PPM)	MRL Notes (PPM)
Cyanamide	Dormex Deurbraak Bloomer Dorcy Cymex Cyan ALERT 520 SC Cymet	0.05	Dormant application only	0.01	Dormant application only	0.01	-	-		-	China - Hong Kong - India - Indonesia - Iran - Israel - Malaysia (0.01) Singapore - Taiwan - Vietnam -
Cymoxanil	Curzate 600 WG	0.1	28 Do not apply after pea size	0.1	28 Do not apply after pea size	0.3	0.1	0.1		-	Israel - Iran - Malaysia (0.01) Singapore - Thailand - Vietnam -
	Cymox		4 – 6 weeks (Do not apply after pea size)		4 – 6 weeks (Do not apply after pea size)						
	Vidac Flo		21		21						
Cymoxanil +	Controller Cymax M WP Cymoxazeb WP Fungarrest Micexanil Zetanil M	0.1	4 – 6 weeks (Do not apply after pea size)	0.1	4 – 6 weeks (Do not apply after pea size)	0.3	0.1	0.1		-	Indonesia - Israel - Iran - Malaysia (0.01) Singapore - Thailand - Vietnam -
	Mancozeb										
Cymoxanil +	Equation Pro	0.1	28	0.1	28	0.3	0.1	0.1	Not later than 5mm berry diameter	-	Indonesia - Israel - Iran - Malaysia (0.01) Singapore - Thailand - Vietnam -
		Famoxadone									

MAXIMUM RESIDUE LIMITS FOR PERMISSIBLE CHEMICALS

TABLE GRAPES

Chemical	Trade Names	Local SA Reg. MRL (PPM)	Local Withholding Period (Days)	Export Default MRL (PPM)	Export Default Withholding Period (Days)	EU MRL Status 2017 (PPM)	USA MRL (PPM)	Russian Default MRL (PPM)	Russian MRL Export Default Withholding Period (MOU terms) (Days)	Codex MRL (PPM)	MRL Notes (PPM)
Cymoxanil +	Miraz 76 WP	0.1	4-6 Weeks (Up to 5 mm berry diameter)	0.1	4-6 Weeks (Up to 5 mm berry diameter)	0.3	0.1	0.1			Indonesia - Israel - Iran - Malaysia (0.01) Singapore - Thailand - Vietnam -
Propineb		3.0				1.0 (as propineb); 5.0 (as CS2)	-			5.0 (Dithiocarb.)	Iran Suspended pesticide
Cypermethrin	Cyperin Cypermethrin 200 EC Polytrin 200 EC Ag-Cypermethrin 200 EC Kemprin 200 EC Farmag Cypermethrin	0.05	28	0.05	28	0.5	2.0	0.2 Grapes		0.2	
Cyprodinil	As part of Switch Choir 500 WDG Chant 500 WDG As part of Cyprocide WG	0.5	28	0.5	28	3.0	3.0 Fruit, small, vine climbing, sub-group 13-07F	2.0 Grapes		3.0	
Deltamethrin	Delta-Thrin 25 EC Decis Forte 100 EC Ag-Deltamethrin 25 EC Celtis 25 EC Servus Delmet 250 EC	0.1	EC-28 SC-42	0.1	EC formulation-28 SC formulation-42	0.2	-	0.01 Grapes	Not later than 5mm berry diameter	0.2	Singapore 0.05
Dichlorvos	Divos 1000 EC Dichlorvos EC Desta 100 EC Devipan 100 EC DDVP Dichlorvos 1000 EC	0.1	7	≤ 0.01	14	0.01	-	0.05 Grapes		-	

MAXIMUM RESIDUE LIMITS FOR PERMISSIBLE CHEMICALS

TABLE GRAPES

Chemical	Trade Names	Local SA Reg. MRL (PPM)	Local Withholding Period (Days)	Export Default MRL (PPM)	Export Default Withholding Period (Days)	EU MRL Status 2017 (PPM)	USA MRL (PPM)	Russian Default MRL (PPM)	Russian MRL Export Default Withholding Period (MOU terms) (Days)	Codex MRL (PPM)	MRL Notes (PPM)
Difenoconazole	Score Sharda Difenoconazole 250 EC Divino 250 EC Pronto 250 EC D-ZOLE Defender 250 EC Sterin 250 EC Farmag Difenoconazole 250 EC	0.2	28	0.2	28	3.0	4.0	0.5 Grapes		3.0	Indonesia 0.1 Israel 0.1 Vietnam 0.1
Dimethomorph	Dimethozeb Vimethozeb Sovrin Flo Acrobat WG Dimethozeb 690 WP	5.0	56	3.0	56 Max. 3 applications no later than 5 mm berry diameter As confirmed by BASF for Acrobat only	3.0	3.0 Grape	3.0 Grape		3.0	Hong Kong 2.0 India 0.05 Indonesia 2.0 Israel 0.5 Vietnam 2.0
Dimethomorph +	Sphinx Extra	5.0	56 Do not use after pea berry size	3.0	56 Do not use after pea berry size	3.0	3.0	3.0		3.0	Hong Kong 2.0 India 0.05 Indonesia 2.0 Israel 0.5 Vietnam 2.0
Folpet		15.0		6.0		6.0	50.0 (import)	0.02 Grapes		10.0	Iran Suspended Taiwan prohibited - 0.00

MAXIMUM RESIDUE LIMITS FOR PERMISSIBLE CHEMICALS

TABLE GRAPES

Chemical	Trade Names	Local SA Reg. MRL (PPM)	Local Withholding Period (Days)	Export Default MRL (PPM)	Export Default Withholding Period (Days)	EU MRL Status 2017 (PPM)	USA MRL (PPM)	Russian Default MRL (PPM)	Russian MRL Export Default Withholding Period (MOU terms) (Days)	Codex MRL (PPM)	MRL Notes (PPM)
Dithianon	Alaris WG Detect 400 SC	3.0	21	3.0	21	3.0	3.0	1.5	Contact relevant Ag-chem company to confirm	2.0 (Table grapes)	Canada 0.1 [China 2.0] [India 2.0] [Israel 2.0] [Iran 2.0] [Malaysia 2.0] [Singapore 2.0] Switzerland 0.01 Taiwan 0.2 [Thailand 2.0]
Emamectin benzoate	Warlock 19.2 EC	0.05	14	0.05	14	0.05	-	0.05		0.03	[China 0.03] Hong Kong - [India 0.03] Indonesia 0.03 [Iran 0.03] [Malaysia 0.03] [Singapore 0.03] Taiwan 0.03 Thailand 0.005 Vietnam 0.03
Esfenvalerate	Sumi-alpha	0.05	28	0.05	28	0.3	-	0.1 Grapes		-	[China 0.03] [India 0.03] [Malaysia 0.03] [Singapore 0.03] [Thailand 0.03] [Vietnam 0.03]
Ethephon	Ethapon Ethephon 480 SL	5.0	Not later than 5% berry colouring	1.0	Not later than 5% berry colouring	1.0	2.0	-		0.8	[India 0.8] [Iran 0.8] [Malaysia 0.8] [Singapore 0.8] Switzerland 0.5
False codling moth granulovirus	Cryptex Gratham Cryptogran	-	0	-	0	-	-	-		-	

MAXIMUM RESIDUE LIMITS FOR PERMISSIBLE CHEMICALS

TABLE GRAPES

Chemical	Trade Names	Local SA Reg. MRL (PPM)	Local Withholding Period (Days)	Export Default MRL (PPM)	Export Default Withholding Period (Days)	EU MRL Status 2017 (PPM)	USA MRL (PPM)	Russian Default MRL (PPM)	Russian MRL Export Default Withholding Period (MOU terms) (Days)	Codex MRL (PPM)	MRL Notes (PPM)
Fenamidone * also refer to mancozeb	No Blite	1.0	49	≤ 0.01	Do not apply after full bloom	0.6	1.0 (imported)	-		0.6	
Fenamiphos	Fenamiphos 400 EC Spitfire 400 EC Nemacur 10 GR Nemacur 100 EC Bonfire 400 EC Atador	0.05	100	0.02	100	0.03	0.1 (Import tolerance)	-		-	Hong Kong - India - Indonesia - Iran - Japan 0.06 Malaysia (0.01) Vietnam -
Fenazaquin	Pride 200 SC Vanity 200 SC Superior 200 SC	0.2	63	0.2	63	0.2	-	0.01 Grapes	Apply before onset of flowering	-	Canada (0.1) China - Hong Kong - India - Indonesia - Iran - Israel - Japan - Malaysia (0.01) Singapore - Taiwan 0.1 Thailand - Vietnam -
Fenhexamid	Teldor 500 SC Electron 500 SC	5.0	3	5.0	3	15.0	4.0	-		15.0	Canada 4.0 Israel 4.0 Taiwan 4.0
Fludioxonil	As part of Switch As part of Cyprocide WG	0.5	28	0.5	28	5.0	2.0 Fruit, small, vine climbing, sub-group 13-07F	2.0 Grapes		2.0	

MAXIMUM RESIDUE LIMITS FOR PERMISSIBLE CHEMICALS

TABLE GRAPES

Chemical	Trade Names	Local SA Reg. MRL (PPM)	Local Withholding Period (Days)	Export Default MRL (PPM)	Export Default Withholding Period (Days)	EU MRL Status 2017 (PPM)	USA MRL (PPM)	Russian Default MRL (PPM)	Russian MRL Export Default Withholding Period (MOU terms) (Days)	Codex MRL (PPM)	MRL Notes (PPM)
Fluopicolide + Fosetyl-AI	Profiler	2.0	28	2.0	28	2.0	2.0	-		2.0	Canada 1.4 Switzerland 1.0
		25.0		25.0		100.00	10.0	0.8		-	Canada (0.1) China 10.0 India 10.0 Indonesia - Iran - Israel 5.0 Malaysia (0.01) Singapore - Taiwan 20.0 Thailand - Vietnam -
Flusilazole	Flustar WG	0.05	21	0.01	Contact relevant Ag-Chem company to confirm	0.01	-	-		0.2	
Flutriafol + Tebuconazole	Topguard 300 SC	0.05	28	0.05	28	0.8	1.5	0.05		0.8	Hong Kong -
		0.5		0.5		0.5	5.0	1.0 Grapes		6.0	
Fluopyram	Luna Privilege	2.0	3	1.5	3	1.5	2.0 Fruit, small, vine climbing, sub-group 13-07F	1.0 Grapes		2.0	Israel 0.4 Switzerland -
Fluopyram + Tebuconazole	Luna Experience	2.0	Do not apply after the berries have reached pea berry stage	1.5	Do not apply after the berries have reached pea berry stage	1.5	2.0 Fruit, small, vine climbing, sub-group 13-07F	1.0	Not later than 5mm berry diameter	2.0	Israel 0.4 Switzerland -
		0.5		0.5		0.5	5.0	6.0			


MAXIMUM RESIDUE LIMITS FOR PERMISSIBLE CHEMICALS
TABLE GRAPES

Chemical	Trade Names	Local SA Reg. MRL (PPM)	Local Withholding Period (Days)	Export Default MRL (PPM)	Export Default Withholding Period (Days)	EU MRL Status 2017 (PPM)	USA MRL (PPM)	Russian Default MRL (PPM)	Russian MRL Export Default Withholding Period (MOU terms) (Days)	Codex MRL (PPM)	MRL Notes (PPM)
Folpet	Folpan 500 SC Valeo 500 SC Fortune 500 SC	15.0	DP-3 WP-**	6.0	Do not use after 5mm berry diameter	6.0	50.0 (import)	0.02 Grapes		10.0	Iran Suspended Taiwan prohibited - 0.00
Forchlorfenuron	Sitofex Berrymax Ambitious	0.05	Not required when used as directed	0.01	Not required when used as directed	0.01	0.03	-		-	
Formetanate	Dicarzol	0.05	80	0.05	80	0.1	-	-		-	China - Hong Kong - India - Indonesia - Iran - Israel - Japan - Malaysia (0.01) Singapore - Taiwan - Vietnam -
Fosetyl-AI *also refer to fluopicolide	Aliette 800 WG Profiler * Fostonic 80 WP	25.0	28	25.0	28 Do not apply after 5 mm berry diameter	100.0	10.0	0.8 Grapes as Aluminium Phosetyl	Do not apply after 5 mm berry diameter	-	Canada (0.1) China 10.0 Hong Kong 10.0 India 10.0 Indonesia - Iran - Israel 5.0 Malaysia (0.01) Singapore - Taiwan 20.0 Thailand - Vietnam -
Furfural	Crop Guard	0.01	0	≤0.01	0	1.0	-	-		-	

MAXIMUM RESIDUE LIMITS FOR PERMISSIBLE CHEMICALS**TABLE GRAPES**

Chemical	Trade Names	Local SA Reg. MRL (PPM)	Local Withholding Period (Days)	Export Default MRL (PPM)	Export Default Withholding Period (Days)	EU MRL Status 2017 (PPM)	USA MRL (PPM)	Russian Default MRL (PPM)	Russian MRL Export Default Withholding Period (MOU terms) (Days)	Codex MRL (PPM)	MRL Notes (PPM)
Gamma-cyhalothrin	Vantex 60 CS	0.2	28	0.01	Contact relevant Agchem company to confirm	0.01	0.01	-		0.2 (cyhalothrin, Berries and other small fruit)	
Gibberellins	Falgro Tablets Falgro 20 SP Falgro 4 SL Gibb Liquid 4 ProGibb 4% ProGibb 40%	0.2	Not later than 5mm berry diameter No later than 14mm berry diameter	0.2	Not later than 5mm berry diameter No later than 14mm berry diameter	No MRL required	Exp.	-		-	China - Hong Kong - India - Indonesia - Iran - Israel - Malaysia (0.01) Singapore - Thailand - Vietnam -
Hexaconazole	Optan SC Richter	0.1	7	0.01	Contact relevant Ag-Chem company to confirm	0.01	-	-		-	
Imidacloprid	Warrant 350 SC Warrant 70 WG Imidacloprid 350 SC Confidor 70 WG Kohinor 350 SC Cast 700 WDG Emit 700 WDG Provado 350 SC Sharda Imidacloprid 350 SC Imidor 350 SC Apache Gold 350 SC Punto 350 SC Imidor 350 SC Imirod 350 SC	0.05	112	0.05	112	1.0	1.0	-		1.0	

MAXIMUM RESIDUE LIMITS FOR PERMISSIBLE CHEMICALS

TABLE GRAPES

Chemical	Trade Names	Local SA Reg. MRL (PPM)	Local Withholding Period (Days)	Export Default MRL (PPM)	Export Default Withholding Period (Days)	EU MRL Status 2017 (PPM)	USA MRL (PPM)	Russian Default MRL (PPM)	Russian MRL Export Default Withholding Period (MOU terms) (Days)	Codex MRL (PPM)	MRL Notes (PPM)
Indoxacarb	Steward Steward 150 EC Doxstar flo	2.0	14	2.0	14 Maximum 2 applications	2.0	2.0 Fruit, small vine climbing, except fuzzy kiwifruit.	0.5 Grapes	28	2.0	Canada (0.1) China - Israel 1.0 Taiwan 0.01
Iprodione Note: EU authorisation/ MRL withdrawal pending, may affect late season fruit types	Taurus 500 SC Iprodione 500 SC Rovral Aquaflo Prodione IproFlo Pickle 500 SC Iprone 500 SC Roflo Iprodione 255 Rovral Flo*	5.0	7 3 Do not apply after pea berry stage	5.0	7 3 Do not apply after pea berry stage	20.0	60.0	0.4 Grapes	Latest 5mm berry diameter	10.0	Iran -
Iprovalicarb	Argento	0.5	Do not apply after 5mm berry diameter	0.5	Do not apply after 5mm berry diameter	2.0	2.0 (import)	-		-	Canada (0.1) China - Hong Kong - India - Indonesia - Iran - Israel 0.05 Malaysia (0.01) Singapore - Taiwan - Vietnam -
Iprovalicarb +	Melody Duo	0.5	Do not apply after 5mm berry diameter	0.5	Do not apply after 5mm berry diameter	2.0	2.0 (import)	-	Not later than flowering	-	Canada (0.1) China - Hong Kong - India - Indonesia - Iran - Israel 0.05 Malaysia (0.01) Singapore - Taiwan -
Propineb		3.0	DP-14 WP-** 28 - Do not apply to grapes after the pea berry size	1.0 (as propineb); 5.0 (as CS2)		1.0 (as propineb); 5.0 (as CS2)	-	0.1 Grapes		5.0 (Dithiocarb.)	Iran Suspended

MAXIMUM RESIDUE LIMITS FOR PERMISSIBLE CHEMICALS
TABLE GRAPES

Chemical	Trade Names	Local SA Reg. MRL (PPM)	Local Withholding Period (Days)	Export Default MRL (PPM)	Export Default Withholding Period (Days)	EU MRL Status 2017 (PPM)	USA MRL (PPM)	Russian Default MRL (PPM)	Russian MRL Export Default Withholding Period (MOU terms) (Days)	Codex MRL (PPM)	MRL Notes (PPM)
Kresoxim-methyl	Kresoxim-methyl 500 WDG Kreso WDG Vista Flo Kreso 50 WG Ardent 50 SC Collis (+ Boscalid)	0.5	14	0.5	14	1.0	1.0	0.5 Grape		1.0	
Lambda – cyhalothrin	Karate EC Karate Zeon Judo 50 EC Lambda 50 EC Ag-Lambda 50 EC Lambda EC Lambda Cyhalothrin 50 Attacke Lamdex 5 EC Karis 5 CS	0.2	28	0.2	28	0.2	0.01	0.15 Grapes	Not after flowering	0.2 (cyhalothrin, Berries and other small fruit)	

MAXIMUM RESIDUE LIMITS FOR PERMISSIBLE CHEMICALS

TABLE GRAPES

Chemical	Trade Names	Local SA Reg. MRL (PPM)	Local Withholding Period (Days)	Export Default MRL (PPM)	Export Default Withholding Period (Days)	EU MRL Status 2017 (PPM)	USA MRL (PPM)	Russian Default MRL (PPM)	Russian MRL Export Default Withholding Period (MOU terms) (Days)	Codex MRL (PPM)	MRL Notes (PPM)
Mancozeb	Dithane M-45 800 WP NT Dithane M-45 800 WP Dithane 750 WG Neotec Curzate Pro Newzeb 800 WP Unizeb WP Tridex WP Farmag Mancozeb 800 WP Penncozeb WG Rolim 700 WP Crater 455 SC Pennfluid 420 SC Mancozeb 800 WP (L9169) Ventum 800 WP Mancozeb (L3517) No-Blite Mancozeb 800 WP Vondozeb Tsumeb Newzeb 455 SC Valbon WG* MILOR MZ Milor700 WP Pergado MZ Newzeb 750 WDG	3.0	Not after 5mm berry diameter 56 days 4-6 weeks	3.0	Not after 5mm berry diameter	5.0 (as CS ₂)	1.5	0.1 Grapes	Not later than one week after flowering	5.0 (Dithiocarb.)	
* also refer to Fenamidone											
*also refer to benthialavincarb											
*also refer to metalaxyl											
* also refer to mandipropamid											
Mandipropamid *also refer to mancozeb	Pergado MZ	1.0	Not after 5mm berry diameter	1.0	Not after 5 mm berry diameter	2.0	1.4 Fruit, small vine climbing, except fuzzy kiwifruit, subgroup 13-07F	-		2.0	
Maneb	Mangle SC Vandal	3.0	28	3.0	28	5.0 (as CS ₂)	-	-		5.0 (Dithiocarb.)	

MAXIMUM RESIDUE LIMITS FOR PERMISSIBLE CHEMICALS

TABLE GRAPES

Chemical	Trade Names	Local SA Reg. MRL (PPM)	Local Withholding Period (Days)	Export Default MRL (PPM)	Export Default Withholding Period (Days)	EU MRL Status 2017 (PPM)	USA MRL (PPM)	Russian Default MRL (PPM)	Russian MRL Export Default Withholding Period (MOU terms) (Days)	Codex MRL (PPM)	MRL Notes (PPM)
Meptyldinocap	Karathane Star	0.5	Use only before blossom	0.5	Use only before blossom	1.00	0.2	-		0.2	Canada (0.1) [China 0.2] Hong Kong 0.2 [India 0.2] Indonesia 0.2 [Iran 0.2] Israel 0.1 [Malaysia 0.2] [Singapore 0.2] Switzerland - Taiwan - [Vietnam 0.2] Israel -
Mercaptothion/ Malathion	Datathion Mercaptothion 500 EC Kickback 700 MZ	2.0	10	0.02	10 Bait application ONLY Never apply bait to bunches	0.02	8.0	0.5 Grapes		5.0	Israel -
Metalaxyl-M (Mefenoxam) * also refer to Mancozeb	Ridomil Gold Pepite	1.5	56 (Do not apply after flowering)	1.5	Not after pea berry stage	2.0	2.0	0.1 Grapes	Not after 5mm berry diameter	1.0	Canada 1.0 Hong Kong 1.0 China 1.0 India - (Draft MRL 0.05) Indonesia 1.0 [Iran 1.0] Israel 1.0 Japan 1.0 [Malaysia 1.0] Singapore 1.0 Thailand 1.0 Vietnam 1.0
Metalaxyl * also refer to Mancozeb	MILOR MZ										
Methidathion	Suprathion 420 EC Arythion 420 EC	0.2	EC-8 WP- Not after pea berry size	0.02	Up to flowering only	0.02	-	-		1.0	Iran Banned

MAXIMUM RESIDUE LIMITS FOR PERMISSIBLE CHEMICALS**TABLE GRAPES**

Chemical	Trade Names	Local SA Reg. MRL (PPM)	Local Withholding Period (Days)	Export Default MRL (PPM)	Export Default Withholding Period (Days)	EU MRL Status 2017 (PPM)	USA MRL (PPM)	Russian Default MRL (PPM)	Russian MRL Export Default Withholding Period (MOU terms) (Days)	Codex MRL (PPM)	MRL Notes (PPM)
Metiram		3.0	Not after small pea (5mm) berry size	3.0	35 Not later than 5mm berry size	5.0 (as CS ₂)	-	0.02 All food products	Contact relevant Ag-chem company to confirm	5.0 (Dithiocarb.)	
Metrafenone	Vivando	0.5	28	0.5	28	7.0	4.5	-		5.0	Japan (0.01)
Mevinphos	Phosdrin 500 SL	0.2	7	0.01	Not later than 5mm berry diameter	0.01	-	-		-	
Myrothecium verrucaria* strain AARC-0255 fermentation solids and solubles	DiTera	Exp.	-	Exp.	-	-	-	-		-	
Oxamyl	Vydate SL	-	Dormant spray before bud burst	≤0.01	Dormant spray before bud burst	0.01	-	-		-	
Penconazole	Topaz 200 EW Excalibur 200 EW Pencomax EW Penconazole 200 EW Captain	0.2	14	0.2	14	0.2	-	0.3 Grapes		0.2	Canada (0.1)

MAXIMUM RESIDUE LIMITS FOR PERMISSIBLE CHEMICALS

TABLE GRAPES

Chemical	Trade Names	Local SA Reg. MRL (PPM)	Local Withholding Period (Days)	Export Default MRL (PPM)	Export Default Withholding Period (Days)	EU MRL Status 2017 (PPM)	USA MRL (PPM)	Russian Default MRL (PPM)	Russian MRL Export Default Withholding Period (MOU terms) (Days)	Codex MRL (PPM)	MRL Notes (PPM)
Phosphorous acid	Rootex 400 SL Phosphite 400 SL Ag-Phos 400 SL Fighter Brilliant 300 SL Brilliant SL Hyperphos 400 SL Rootmaster 200 SL Rootmaster 400 SL Hygrophos 400 PhosMaxx PhosPlus Phosguard 200 SL Phosguard 400 SL Mariphos 400 SL	25.0	28	25.0	28	100.0 (sum fosetyl + phosphorous acid and their salts, expressed as fosetyl)	Exp.	-		-	China - Canada (0.1) Hong Kong 10.0 as Fosetyl-Al India - Indonesia - Iran - Israel - Malaysia (0.01) Taiwan - Vietnam -
Potassium bicarbonate (also known as potassium hydrogen carbonate)	Agri-Cure	-	0	-	0	No MRL required	Exp.	-		-	
Procymidone	Hit 500 SC Sumisclax SC	5.0	5 3	0.01	Do not apply after blossom	0.01	-	0.5* Grapes		-	
Profenofos	Profenofos 500 Selefos Selecron	-	Early spring application only, prior to flowering	≤ 0.01	Early spring application only, prior to flowering	0.01	-	-		-	

MAXIMUM RESIDUE LIMITS FOR PERMISSIBLE CHEMICALS**TABLE GRAPES**

Chemical	Trade Names	Local SA Reg. MRL (PPM)	Local Withholding Period (Days)	Export Default MRL (PPM)	Export Default Withholding Period (Days)	EU MRL Status 2017 (PPM)	USA MRL (PPM)	Russian Default MRL (PPM)	Russian MRL Export Default Withholding Period (MOU terms) (Days)	Codex MRL (PPM)	MRL Notes (PPM)
Propineb	Antracol 70 WP	3.0	DP-14 WP-** 28 - Do not apply to grapes after the pea berry size	1.0 (as propineb); 5.0 (as CS2)	Do not apply after 5 mm berry diameter	1.0 (as propineb); 5.0 (as CS2)	-	0.1 Grapes	Not later than flowering	5.0 (Dithiocarb.)	Iran Suspended
Proquinazid	Talendo	0.5	28	0.5	28 Max. 3 applications	0.5	0.5 Import tolerance	0.5 Grape		-	China - Hong Kong - India - Japan - Indonesia - Iran - Israel 0.05 Malaysia (0.01) Singapore - Taiwan - Vietnam -
Prothiofos	Tokuthion® 960 EC	1.0	60	≤ 0.01	Use only during dormancy period before budswell	-	-	0.1 Grapes		-	
Pyraclostrobin	Cabrio	0.5	28	0.5	35	1.0	2.0	2.0 Grape		2.0	Japan 3.0 (Unpublished MRL revision 0.2)
Pyrimethanil	Botrynil Scala 400 SC Pyrus 400 SC Support 400 SC Source 400 SC	5.0	35	5.0	35 Do not apply more than 2 sprays per season	5.0	5.0 Fruit, small, vine climbing, sub-group 13-07F	-		4.0	[China 4.0] Hong Kong 4.0 Indonesia 4.0 [India 4.0] [Iran 4.0] Israel 2.0 [Malaysia 4.0] [Singapore 4.0] Taiwan - Vietnam 4.0
	Protector 400 SC Pyrimet 400 SC		7		7 Do not apply more than 2 sprays per season						

MAXIMUM RESIDUE LIMITS FOR PERMISSIBLE CHEMICALS

TABLE GRAPES

Chemical	Trade Names	Local SA Reg. MRL (PPM)	Local Withholding Period (Days)	Export Default MRL (PPM)	Export Default Withholding Period (Days)	EU MRL Status 2017 (PPM)	USA MRL (PPM)	Russian Default MRL (PPM)	Russian MRL Export Default Withholding Period (MOU terms) (Days)	Codex MRL (PPM)	MRL Notes (PPM)
Pyrimethanil + Fludioxonil	Tutor 500 SC	5.0	28	0.5	28	5.0	5.0 Fruit, small, vine climbing, sub-group 13-07F	-		4.0	
		0.5					2.0 Fruit, small, vine climbing, sub-group 13-07F	2.0 Grapes		2.0	
Quinoxifen	Legend 250 SC Proxima FABLE 250 SC LORE 250 SC	1.0	21	1.0	21	1.0	2.0 Fruit climbing	-		2.0	Canada 0.5 Israel 0.5
S-Abscisic Acid	ProTone Excelero	Exp.		≤ 0.01		-	Exp.	-		-	Japan -
Spinetoram	Delegate 250 WG	0.5	3	0.5	3	0.5	0.5	-		0.3	
Spinosad	Tracer 480 SC Entrust Naturalyte 800 WP	0.1	28	0.1	28 Max. 4 applications	0.5	1.0	-		0.5	
	GF-120 NF		0		0 Multiple bait applications						
Spinosad + Methyl eugenol	STATIC Spinosad ME	0.1	1	0.1	1	0.5	1.0	-		0.5	
		-		-		No MRL required	-		-		

MAXIMUM RESIDUE LIMITS FOR PERMISSIBLE CHEMICALS

TABLE GRAPES

Chemical	Trade Names	Local SA Reg. MRL (PPM)	Local Withholding Period (Days)	Export Default MRL (PPM)	Export Default Withholding Period (Days)	EU MRL Status 2017 (PPM)	USA MRL (PPM)	Russian Default MRL (PPM)	Russian MRL Export Default Withholding Period (MOU terms) (Days)	Codex MRL (PPM)	MRL Notes (PPM)
Spirotetramat	Movento 240 SC	1.0	Do not apply later than the pea-berry stage of the crop	1.0	Do not apply later than the pea-berry stage of the crop	2.0	1.3	-		2.0	Israel 0.5
Spiroxamine	Spiral 500 EC Prosper 500 EC Potential 500 EC Flourish 500 EC Spirox 500 EC	1.0	Not after commencement of flowering	0.6	Not after commencement of flowering	0.6	1.0 (import)	2.0 Grape		-	China - India - Indonesia - Iran - Israel 0.05 Malaysia (0.01) Singapore - Taiwan - Vietnam -
Sulfoxaflor	Closer 240SC	1.0	28	1.0	28	2.0	2.0	-		2.0	Japan (0.01) Switzerland - Taiwan -
Sulphur	Thiovit Jet Flowable Sulphur Cosavet Dusting Sulphur Sulfostar Striker Ciplapol S 320 Striker SC Microthiol Special Sulgran 800 WDG Kumulus WG Dusting Sulphur Sulfostar	50.0	DP-0 WP-*** 4 - 6 weeks 6 weeks	50.0	DP-0 WP-*** Not after small pea (5mm) berry size	No MRL required	10.0	-		-	China - India - Indonesia - Iran - Israel - Malaysia Exp. Taiwan Exp. Vietnam -

MAXIMUM RESIDUE LIMITS FOR PERMISSIBLE CHEMICALS

TABLE GRAPES

Chemical	Trade Names	Local SA Reg. MRL (PPM)	Local Withholding Period (Days)	Export Default MRL (PPM)	Export Default Withholding Period (Days)	EU MRL Status 2017 (PPM)	USA MRL (PPM)	Russian Default MRL (PPM)	Russian MRL Export Default Withholding Period (MOU terms) (Days)	Codex MRL (PPM)	MRL Notes (PPM)
Tebuconazole	Flint Max 75 WG*	0.5	14	0.5	Do not apply after 6 - 8 mm berry diameter. Do not apply more than 3 sprays per season	0.5 (Unpublished Sanco/10768/ 2014 proposed new MRL 2.0)	5.0	1.0 Grapes		6.0	
	Riza 250 EW TebuCure 250 EW		42		42						
Tetraconazole	Domark 100 EC Tetris EC Tetris EW	0.5	14	0.5	14	0.5	0.25	-		-	China - India - Indonesia - Iran - Israel 0.05 Malaysia (0.01) Singapore - Vietnam -
Thiamethoxam	Actara SC Thiatox 250 WDG Thixam 250 WDG Thiamex 25 WG	-	Apply within one month after harvest	-	Apply within one month after harvest	0.4	0.2 Fruit small, vine	0.1		0.5 Berries and small fruit	
Thiram		5.0	90	0.1 (as thiram); 5.0 (as CS2)	Not after 5mm berry size	0.1 (as thiram); 5.0 (as CS2)	-	0.01 (All food products)	Not after flowering	5.0 (Dithiocarb.)	India 3.0 as Dithiocarb.
Triadimenol	Shavit 250 EC	1.0	14	0.3	Before blossom only	2.0 EU MRL 0.3 from 27/10/2017 EU Commission Regulation 627/2017	-	2.0 Grapes		0.3	
Trichoderma harzianum	Eco-77	-	-	-	-	No MRL required	-	-		-	-

MAXIMUM RESIDUE LIMITS FOR PERMISSIBLE CHEMICALS

TABLE GRAPES

Chemical	Trade Names	Local SA Reg. MRL (PPM)	Local Withholding Period (Days)	Export Default MRL (PPM)	Export Default Withholding Period (Days)	EU MRL Status 2017 (PPM)	USA MRL (PPM)	Russian Default MRL (PPM)	Russian MRL Export Default Withholding Period (MOU terms) (Days)	Codex MRL (PPM)	MRL Notes (PPM)
Trichlorfon	Trichlorfon 950 SP	0.2	10	0.01	Only for use in bait applications, not later than blossom	0.01	-	0.1 Grape		-	
Trifloxystrobin *also refer to Tebuconazole	Consist 50 WG Flint Max 75 WG* Connect 500 WDG Unite 500 WDG	0.5	4 to 6 weeks (to avoid visible residues)	0.5	Not later than pea berry (5mm) berry diameter	3.0	2.0	0.5 Grapes		3.0	
Vinclozolin		3.0	SC-** DP-3	0.01	Contact relevant Ag-chem company (BASF) to confirm	0.01	-	3.0* Grape		-	
Zeta-cypermethrin	Fury 10 EW Fury	0.05	28	0.05	28	0.5 (Cypermethrin/ isomers)	2.0	0.2 Grapes		0.2 (as cypermethrin including alpha- and zeta-cypermeth)	
Zoxamide	Zoxium	2.0	28 Max. of 4 applications	2.0	28 Max. of 4 applications	5.0	5.0	-		5.0	